Managing Patients with Latex Allergies

PURPOSE

To limit exposure to latex in patients with latex allergy or sensitivity.

POLICY

- 1. Develop a list of latex free products available in the warehouse.
 - Ask manufacturers for lists of their products that contain latex, are latex free or low latex allergen products and update regularly.
 - It may not always be possible to find a latex-free alternative for every product.
- 2. Obtain history of allergies or sensitivities from each patient and document in the medical record. Staff may need to ask specifically about latex and provide the patient with examples.
- 3. Notify all disciplines involved with patient care of latex allergy / sensitivity.
- 4. Post a latex precaution sign at the home and mark the patient's medical record prominently with this information.
- 5. Use only latex-free or vinyl gloves when in direct patient contact.
- 6. For medication delivery:
 - use only glass or latex-free syringes
 - glass ampules to replace latex-sealed vials whenever possible
 - use nylon tourniquets for venipuncture
 - use only latex-free injection caps / connectors or directly connect tubing to IV catheter
 - use IV tubing without injection ports or apply tape over Y-sites to avoid accidental access
- 7. Use plastic or silk tape in place of adhesive tape and elastic bandages containing latex.
- 8. Limit patient contact with bulb of blood pressure cuff and rubber tubing.
- 9. Instruct patient and family regarding other potential sources of latex in the home (i.e., balloons, latex paint, rubber bands, pacifiers, baby bottle nipples, dishwashing gloves, hot water bottles, erasers).
- 10. Obtain physician's order for treatment of allergic / anaphylactic reaction. Instruct patient and family in the use of the anaphylaxis kit or Epi-Pen® as ordered by the physician.
- 11. Complete an Incident / Quality Assessment Report on any patient who develops

Page 1 of 2

Revised: 07/24/20

Managing Patients with Latex Allergies

a latex allergy or sensitivity while receiving CarePro Homecare services.

RESPONSIBILITY

The Director of Pharmacy and Clinical Specialist have responsibility for approval of, compliance with, and revisions to this policy.

MODIFICATION/REVISION

This policy is subject to modification or revision in part or its entirety to reflect changes in conditions subsequent to the effective date of this policy.

Resource: http://www.cdc.gov/niosh/topics/latex/

REFERENCES

- 1. Infusion Nursing Standards of Practice Revised 2016; Journal of Infusion Nursing, Supplement to January/February 2016, Volume 39, Number 1S.
- 2. Infusion Nursing: An Evidence-Based Approach, Third Edition edited by Mary Alexander, Ann Corrigan, Lisa Gorski, Judy Hankins, and Roxanne Perucca.
- 3. INS (Infusion Nurses Society) Policies and Procedures for Infusion Nursing, 3rd Edition.

Page **2** of **2**

Revised: 07/24/20

CarePro Health Services

Phone 800-755-6997 Infusion Nursing